

Product Catalogue



SR Adhesive Tapes MFG.

Introduction

S.R. Adhesive Tapes (SRATM) is emerging as one of the fastest-growing adhesive tape manufacturers in India. Formed in 2014, our company envisaged quick, easy and affordable availability of various types of adhesive tapes in the market.

We work with ambitious local companies as well as large global organizations, so we can tailor our products and services to suit your needs. An innovative approach helps us constantly introduce new and improved adhesive tapes. We move with the conviction of providing elite products and services all over the world.

Our managing directors, Mr Ashwin Surotia and Mr Rishabh Arrawatia have combined their immense knowledge about the raw materials, production processes, products and their applications—which they have developed by working in this industry for over the last three decades—with modern technology to create an organisation that meets all demands.

Vision

We move with the vision of developing sustainable environment-friendly adhesive tapes as our world faces enormous problems like global warming, climate crisis and other ecological problems in general. We strongly believe that our generation must act NOW as the need to do so grows stronger with every passing day to change the course of the future. We firmly believe that there is an immediate need for all organisations to come together and work towards the mutual goal of achieving a cleaner and greener natural world. Every tiny step and contribution towards this noble goal is significant and we as a company will need to contribute our bit. Ecological sustainability is a core element of our corporate strategy and serves as the benchmark for any strategic decisions we make as an organisation.

Mission

Our engineers constantly work on upgrading our products by combining their creative & innovative ideas with their incredible work ethic to make life easier for our clients. An in-house lab helps us to regulate and monitor the quality of products manufactured at our workplace. We make sure all our products are tested for quality and sanitized for

safety before sending them out.

We have recently imported the latest available multipurpose coating machine which allows us to manufacture adhesive tapes with very high accuracy and gives us the freedom to customize the tapes according to the exact needs of our clients.

Aiming to be the top adhesive tape manufacturers in the country, we provide our clients with the best quality at economical prices. Customer satisfaction is of utmost importance to us as we look forward to building new relationships with various organisations en route to our journey to achieve prominence in the packaging market.

Core Values

Integrity

Know and do what is right

Work Ethic

Determination to work hard

Innovation

Constant research towards improvement

Respect

Treating others the way you want to be treated



विदेश व्यापार महानिदेशालय
DIRECTORATE GENERAL OF
FOREIGN TRADE



Introduction



SITRA
Service for Excellence

THE SOUTH INDIA TEXTILE
RESEARCH ASSOCIATION



H.B. Fuller

Directive on hazardous substances



DOUBLE SIDED HDPE ADHESIVE TAPE

Specifications

Base	70 GSM (± 10 GSM)
Adhesion	50+50 GSM (± 5 GSM)
Release Paper	90 GSM (± 5 GSM)
Size	20mm to 1000mm x 40m
Adhesive	PSA Hotmelt Adhesive
Colours	White

This is a ROHS compliant premium quality hotmelt adhesive tape with very high tensile strength and binding capacity. Since the tape has very high moisture or humidity. It is an FDA certified product.




SINGLE- SIDED HDPE ADHESIVE TAPE

Specifications

Base	90 GSM (± 10 GSM)
Adhesion	35 to 40 GSM (± 5 GSM)
Release Paper	70 GSM (± 5 GSM)
Size	10mm to 1000mm x 50m
Adhesive	PSA Hotmelt Adhesive
Colours	Black, Blue, Yellow, Orange, Silver, Red, Dark Blue, Grey, White

This is a ROHS compliant premium quality hotmelt adhesive tape with very high tensile strength and binding capacity. Since the tape has very high adhesion, it is majorly used in liner fixing in jumbo bags. The product is unaffected by moisture or humidity. It is an FDA certified product.



Specifications

Base	12 to 15 microns
Adhesion	50+50 GSM (±5 GSM)
Release Paper	90 GSM
Size	10mm to 1000mm x 50m
Adhesive	PSA Hotmelt Adhesive
Colours	Natural

This product features high tensile strength yet thin backing that resists slivering and stretching. It is a pressure-sensitive adhesive including rubber and silicone bases that are used to meet specific requirements such as high-temperature bake cycles. It offers excellent abrasion and chemical resistance and is recommended for masking as well as demanding applications in graphic arts, photography, metal finishing and electronics.



DOUBLE SIDED COTTON CLOTH TAPE

Specifications

Base	110 GSM (±10 GSM)
Adhesion	100+100 GSM (±5 GSM)
Release Paper	85 GSM (Havana Yellow)
Size	24mm to 1000mm x 25m
Adhesive	Natural Rubber
Colours	White

It is a double sided cotton coated rubber adhesive tape which has very high tack. It is friendly to metal surfaces.



PAPER TAPE

Specifications

Base	Kraft Paper
Adhesion	25 GSM (±5 GSM)
Release Paper	NA
Size	24mm to 1000mm x 50m
Adhesive	PSA Hotmelt Adhesive
Colours	Brown

Paper tape is a special type of new-gen adhesive tape widely used in modern packaging. It remains strong under moist conditions and is pressure sensitive. It is water proof and is very suitable for external usage as it is good against weathering. This tape minimalizes carbon sealing failure and prevents pilferage. It is also one of the few tapes that is approved by the U.S. Postal Service and United Parcel Service.



Specifications

Base	Baseless
Adhesion	800 GSM (± 20 GSM)
Release Paper	70+70 GSM (± 5 GSM)
Size	19mm x 10m; 12mm x 10m
Adhesive	PSA Hotmelt Adhesive
Colours	Amber Yellow

Glue strips are extremely high tack and strong adhesive tapes that are unique products of our brand. They are excellent for using on wood, glass, fibres and plastics. Glue strips are easy to apply. The application is quick & clean too and does not require a long curing period.



RED TAPE

Specifications

Base	Polyester Film (Varied)
Adhesion	60+60 GSM (±5 GSM)
Release Paper	85 GSM (± 5 GSM)
Size	10mm to 1000mm x 50m
Adhesive	Acrylic
Colours	Red

This tape creates a very strong and rigid bond that is mostly used for external applications such as mounting of profiles and joining of flexes. Upon application, it gives out an almost transparent glass-like finish which is ideal for display assembly. It is also avidly used for bonding rigid extrusions. The base is made of Polyester and hence can withstand high heat exposure. It is solvent resistant, has zero adhesive deterioration and provides zero slippage.



BLUE SEAM SEALING- TAPE

Specifications

Base	Blue LDPE Film
Adhesion	40 GSM (±5 GSM)
Release Paper	70 GSM (±5GSM; Crepe Paper)
Size	20mm to 1000mm x 50m
Adhesive	PSA Hotmelt Adhesive
Colours	Blue

Seam tape is applied by using a hot air taping machine and is used in various applications including outdoor wear, industrial work wear, tents, waders, footwear and military garments. It is a single sided high quality blue seam sealing tape designed especially for PPE suits. It is designed according to the safety and durability measures required in the medical industry. It has Anti-Bacterial & Anti-Viral properties which best serves the purpose in PPE kits.



Specifications

Base	PVC Film
Adhesion	200 GSM (±10 GSM)
Release Paper	80 GSM (±10GSM; Polyester Film)
Size	48mm to 1000mm x 3m
Adhesive	PSA Hotmelt Adhesive
Colours	Black

Roof tape is the ultimate leak and seam repair tape. It is the heaviest and the most aggressive tape of all and thus provides permanent roof repair solutions. It can permanently deal with leaks in TPO, EPDM and metals. It also stop air and water penetration on surfaces like cement, plywood, OSB and metal. It leaves no residue and is clean, has a dry surface, is flexible and also UV resistant. It has a wide range of temperature resistance, from -20°C to 100°C.



DOUBLE- SIDED TISSUE TAPE

Specifications

Base	Tissue Paper
Adhesion	60 GSM (± 5 GSM)
Release Paper	90 GSM (± 5 GSM; Silicon paper white)
Size	10mm to 1000mm x 50m
Adhesive	PSA Hotmelt/Solvent Adhesive
Colours	White

It is a special double sided tape which consists of non-woven tissue and is coated with high-grade strong adhesive on both sides. It bonds firmly onto leathers, clothes, woods, plastics, any two similar to dissimilar materials. This acrylic based adhesive is solvent based in nature. High temperature resistance makes it an excellent tape for use in manufacturing wooden laminates. It offers good shear strength and no slippage after curing.



WOOLEN FELT

Specifications

Base	BOPP Film
Adhesion	22 GSM
Release Paper	NA
Size	10mm to 1200mm x 65m
Adhesive	Water based Adhesive
Colours	Transparent, Blue, Brown, Black, White, Red

Our BOPP tapes, manufactured in state-of-the-art facilities, are strong, have superb adhesion and can withstand extremes of temperature and pressure. They have been designed to provide complete protection to packages during transit and handling. They are ideal for use in automatic packing machines. These BOPP tapes are tamper-proof and are available in a variety of colours, thickness, roll lengths and roll widths.



TRANSFER TAPE

Specifications

Base	Baseless
Adhesion	40 GSM (± 5 GSM)
Release Paper	80 GSM (± 5 GSM)
Size	48mm to 1000mm x 100m
Adhesive	PSA Hotmelt Adhesive
Colours	Amber Yellow, White

This tape is an extremely thin strip of levelled gum strip that is almost transparent in appearance. It has good solvent resistance. It possesses superior resistance to heat than most tapes and hence can be used as a flame retardant.



BITUMEN TAPE

Specifications

Base	HDPE Fabric (Black)
Adhesion	450 GSM (± 10 GSM)
Release Paper	90 GSM (± 5 GSM)
Size	48mm x 5m
Adhesive	Bitumen Adhesive
Colours	Black

Bitumen tape is a self-adhesive tape made of a 140 GSM HDPE woven fabric covered by an adhesive bitumen compound. The tape has been designed for waterproofing and anti-corrosive coatings. Cold Applied; Good Mechanical Characteristics; Excellent Dielectric Resistance; Good Flexibility; Self-Amalgamating. Waterproofing of foundations and applications not compatible with the use of free fire flames; Dielectric and anti-corrosive coating of underground steel pipes.



Specifications

Base	BOPP Film
Adhesion	22 GSM
Release Paper	NA
Size	10mm to 1200mm x 65m
Adhesive	Water based Adhesive
Colours	Transparent, Blue, Brown, Black, White, Red

Our BOPP tapes, manufactured in state-of-the-art facilities, are strong, have superb adhesion and can withstand extremes of temperature and pressure. They have been designed to provide complete protection to packages during transit and handling. They are ideal for use in automatic packing machines. These BOPP tapes are tamper-proof and are available in a variety of colours, thickness, roll lengths and roll widths.



ALUMINIUM FOIL TAPE

Specifications

Base	25 to 30 microns (± 3 microns; Aluminium Foil)
Adhesion	30 GSM (± 5 GSM)
Release Paper	70 GSM (± 5 GSM)
Size	24mm to 1000mm x 50m
Adhesive	PSA Hotmelt Adhesive
Colours	Silver

Our Aluminium tape is a speciality tape effectively backed with a soft Aluminium foil coated with a modified acrylic adhesive system & siliconized paper liner. We offer customized options such as synthetic adhesive, solvent acrylic, or water-based acrylic etc., all in different thicknesses. Aluminium tape roll is best suited for insulation, ducts, covering water heater vent, shielding, and several other applications. It is heat-resistant, waterproof and conductive.



DOUBLE- SIDED FOAM TAPE

Specifications

Base	EPDM/EVA
Adhesion	25+25 GSM (±5 GSM)
Release Paper	70/90 GSM (±5 GSM)
Size	10mm to 1000mm x 10m; 1mm to 25mm
Adhesive	PSA Hotmelt Adhesive/Acrylic
Colours	White/Black

Foam tape is a strong adhesive strip which provides a cushion like effect against vibration and shock. It helps dissipate the effects of vibration and reduce noise. It is unaffected from temperature of -40°C to 300°C. Foam tapes are moisture resistant, unaffected by UV rays or solvents and provide high bonding strength to adhere to thermal expansion and compression. It is durable and unaltered by cold, dust, gas, liquid or sound.



NITTO TAPE

Specifications

Base	BOPP Film
Adhesion	22 GSM
Release Paper	NA
Size	10mm to 1200mm x 65m
Adhesive	Water based Adhesive
Colours	Transparent, Blue, Brown, Black, White, Red

Our BOPP tapes, manufactured in state-of-the-art facilities, are strong, have superb adhesion and can withstand extremes of temperature and pressure. They have been designed to provide complete protection to packages during transit and handling. They are ideal for use in automatic packing machines. These BOPP tapes are tamper-proof and are available in a variety of colours, thickness, roll lengths and roll widths.



Specifications

Base	Cross weave filament
Adhesion	45 GSM (±5 GSM)
Release Paper	NA
Size	24mm to 1000mm x 50m
Adhesive	PSA Hotmelt/Solvent Adhesive
Colours	White

This is a uniquely designed cross-weave polyester filament tape with extremely high longitudinal strength and low elongation. The distinct structure allows the tape to have high shock resistance, high conformability and excellent abrasion resistance. Its special synthetic rubber adhesive system ensures a secure bond to various surfaces with high tack and high adhesion.



Specifications

Base	Baseless
Adhesion	40 GSM (± 5 GSM)
Release Paper	80 GSM (± 5 GSM)
Size	48mm to 1000mm x 100m
Adhesive	PSA Hotmelt Adhesive
Colours	Amber Yellow, White

PTFE tape has extremely low friction and hence is perfect for piping and ductwork applications. It is also hydrophobic and hence can be used on surfaces with water contact. Having a robust pressure resistance and being chemically inert makes it useful for aggressive environments with acids, gases and solvents. Key features of this tape include its high malleability and non-hardening nature along with high temperature & pressure resistance.



PTFE TEFLON ADHESIVE TAPE

Specifications

Base	PTFE Glass Fabric
Adhesion	25 GSM (±5 GSM)
Release Paper	70 GSM (±5GSM)
Size	12mm to 1000mm x 50m
Adhesive	Silicon Adhesive
Colours	White, Brown

PTFE tape has extremely low friction and hence is perfect for piping and ductwork applications. It is also hydrophobic and hence can be used on surfaces with water contact. Having a robust pressure resistance and being chemically inert makes it useful for aggressive environments with acids, gases and solvents. The key features of this tape include its high malleability, non-hardening nature and high temperature & pressure resistance.



POND LINING TAPE

Specifications

Base	PVC Film (Black)
Adhesion	200 GSM (± 10 GSM)
Release Paper	90 GSM (± 5 GSM; Polyester Film)
Size	48mm to 1000mm x 20m
Adhesive	PSA Hotmelt/Solvent Adhesive
Colours	White, Black

Pond lining tape is a uniquely thick double as well as single sided adhesive tape that uses cold glue or heat activated adhesive for all your welding purposes. The purpose of this tape is to repair damaged pond liner or to join pond liners together. It can be used on either wet or dry pond liner. The tape hardens over time and the repair should last as long as the liner.

All kinds of customisations are possible, we do all kinds of job work. Manufacturing is our primary job but providing solutions to our customers is our forte.

We manufacture products and provide solutions to companies all across the globe. A recognized leader in our specialties, we serve customers in over 15 countries across 5 continents.

Single Sided HDPE Tape	5
Double Sided HDPE Tape	6
Double Sides Polyster Tape	7
Double Sides Cotton Cloth Tape	8
Paper Tape	9
Glue Strips	10
Red Tape	11
Blue Seam Tape	12
Roof Tape	13
Double Sided Tissue Tape	14
Wool Felt Tape	15
Transfer Tape	16
Double Sided Foam Tape	17
Bopp Strips	18
Aluminium Foil Tape	19
Bitumen Tape	20
Nitto Tape	21
Cross Filament Tape	22
PTFE Adhesive Tape	23
PTFE Teflon Adhesive Tape	24
Pond Lining Tape	25

HI-TECH POLYMERS
હી-ટેક પોલિમર્સ

AGARWAL
SSES PVT LTD
અગ્રવાલ પીણાં
પ્રાઇવેટ લિમિટેડ

k Polypack Pvt. Ltd
પોલીપેક
એલટીડી

Kamron Laboratories
કેમરોન
લેબોરેટરીસ...

SR Adhesive Tapes

Plot 743/7, Opp. Neelkanth Hotel,
b/h Maruti
Paints, Rakanpur, Gandhinagar, Gujarat, 382721 India

Kamad

adikar indus
ર
ઇ



SR Adhesive Tapes

All kinds of customisations are possible, we do all kinds of job work. Manufacturing is our primary job but providing solutions to our customers is our forte.



Plot 743/7, Opp. Neelkanth Hotel,
b/h Maruti Paints, Rakanpur, Gandhinagar, Gujarat, 382721 India
info@sratm.in | +91-9328 203010 | +91-9825 040578